



INVITATION TO BID NO: 10-R-2219858

STATE OF ALABAMA
DEPARTMENT OF FINANCE
DIVISION OF PURCHASING

INVITATION TO BID

REQ. AGENCY : 012014
ALDOT - 3RD DIV WAREHOUSE
AGENCY REQ. NO. : 309-030603
T-NUMBER :
DATE ISSUED : 06/28/10
VENDOR NO. :
VENDOR PHONE NO. :
SNAP REQ. NO. : 1440908
BUYER NAME : CRIST WATTS

FOR: POTHOLE PATCHER
JOHN JONES 205-581-5690

BUYER PHONE NO. : (334) 242-4291-
PURCHASING PHONE NO: (334) 242-7250

BID MUST BE RECEIVED BEFORE:
DATE: 07/21/10 TIME: 5:00 PM

BIDS WILL BE PUBLICLY OPENED:
DATE: 07/22/10 TIME: 10:00 AM

TO BE COMPLETED BY VENDOR

INFORMATION IN THIS SECTION SHOULD BE PROVIDED, AS APPROPRIATE. BID RESPONSE
MUST BE IN INK OR TYPED WITH ORIGINAL SIGNATURE AND NOTARIZATION.

1. DELIVERY: CAN BE MADE _____ DAYS OR _____ WEEKS AFTER RECEIPT OF ORDER
2. TERMS: _____(DISCOUNTS ARE TAKEN WITHOUT REGARD TO DATE OF PAYMENT.)
3. PRICE VALID FOR ACCEPTANCE WITHIN _____ DAYS.
4. VENDOR QUOTATION REFERENCE NUMBER, IF ANY: _____
(THIS NUMBER WILL APPEAR ON THE PURCHASE ORDER.)
5. E-MAIL ADDRESS: _____
INTERNET WEBSITE: _____
6. GENERAL CONTRACTOR'S LICENSE NO: _____
TYPE OF G.C. LICENSE: _____

***** IMPORTANT NOTE: *****

BIDDERS MUST COMPLY WITH ALL "BID RESPONSE INSTRUCTIONS" ON PAGE 2, TO INCLUDE
ITEM 7 - COPY REQUIREMENT.

RETURN INVITATION TO BID:

US MAIL

COURIER

STATE OF ALABAMA
DEPARTMENT OF FINANCE
DIVISION OF PURCHASING
P O BOX 302620
MONTGOMERY, AL 36130-2620

STATE OF ALABAMA
DIVISION OF PURCHASING
RSA UNION BUILDING
100 N. UNION ST., SUITE 192
MONTGOMERY, AL 36104

SIGNATURE AND NOTARIZATION REQUIRED

I HAVE READ THE ENTIRE BID AND AGREE TO FURNISH EACH ITEM OFFERED AT THE PRICE QUOTED.
I HERBY AFFIRM I HAVE NOT BEEN IN ANY AGREEMENT OR COLLUSION AMONG BIDDERS IN
RESTRAINT OF FREEDOM OF COMPETITION BY AGREEMENT TO BID AT A FIXED PRICE OR TO
REFRAIN FROM BIDDING.

SWORN TO AND

FEIN OR SSN

AUTHORIZED SIGNATURE (INK)

SUBSCRIBED BEFORE ME THIS

COMPANY NAME

TYPE/PRINT AUTHORIZED NAME

_____ DAY OF _____

MAIL ADDRESS

TITLE

NOTARY PUBLIC

CITY, STATE, ZIP

TOLL FREE NUMBER

TERM EXP: _____

PHONE INCLUDING AREA CODE

FAX NUMBER

STANDARD TERMS & CONDITIONS

VENDOR NAME :

VENDOR NUMBER: -

ITB NO. : 10-R-2219858

PAGE 2

INVITATION TO BID

OPEN DATE : 07/22/10 TIME: 10:00 AM

RETURN DATE: 07/21/10 TIME: 5:00 PM

AUTHORITY:

THE DEPARTMENT OF FINANCE CODE OF ADMINISTRATIVE PROCEDURE, CHAPTER 355-4-1 EFFECTIVE DECEMBER 20, 2001 IS INCORPORATED BY REFERENCE AND MADE A PART OF THIS DOCUMENT. TO RECEIVE A COPY CALL (334)242-7250, OR OUR WEBSITE WWW.PURCHASING.ALABAMA.GOV .

INFORMATION AND ASSISTANCE TO MINORITY AND WOMEN-OWNED BUSINESSES IN ACQUIRING M/WBE CERTIFICATION MAY BE OBTAINED FROM THE OFFICE OF MINORITY BUSINESS ENTERPRISE, 1-800-447-4191.

BID (ITB) RESPONSE INSTRUCTIONS

REV: 01/14/10

1. TO SUBMIT A RESPONSIVE BID, READ THESE INSTRUCTIONS, ALL TERMS, CONDITIONS AND SPECIFICATIONS.
2. BID ENVELOPES/PACKAGES/BOXES MUST BE IDENTIFIED ON FRONT, PREFERABLY LOWER LEFT CORNER AND BE VISIBLE WITH THE BID NUMBER AND OPENING DATE. EACH INDIVIDUAL BID (IDENTIFIED BY A UNIQUE BID NUMBER) MUST BE SUBMITTED IN A SEPARATE ENVELOPE. RESPONSES TO MULTIPLE BID NUMBERS SUBMITTED IN THE SAME ENVELOPE/COURIER PACKAGE, THAT ARE NOT IN SEPARATE ENVELOPES PROPERLY IDENTIFIED, WILL BE REJECTED. THE DIVISION OF PURCHASING DOES NOT ASSUME RESPONSIBILITY FOR LATE BIDS FOR ANY REASON INCLUDING THOSE DUE TO POSTAL, OR COURIER SERVICE. BID RESPONSES MUST BE IN THE DIVISION OF PURCHASING OFFICE PRIOR TO THE "RECEIVE DATE AND TIME" INDICATED ON THE BID.
3. BID RESPONSES (PAGE 1, PRICE SHEET AND ADDENDUMS (WHEN SIGNATURE IS REQUIRED)) MUST BE IN INK OR TYPED ON THIS DOCUMENT. OR EXACT FORMAT WITH SIGNATURES BEING HANDWRITTEN ORIGINALS IN INK (PERSON SIGNING BID, NOTARY, AND NOTARY EXPIRATION), OR THE BID WILL BE REJECTED. UNLESS INDICATED IN THE BID, ALL PRICE PAGES MUST BE COMPLETED AND RETURNED. IF AN ITEM IS NOT BEING BID, IDENTIFY IT AS NB (NO-BID). PAGES SHOULD BE SECURED. THE DIVISION OF PURCHASING DOES NOT ASSUME RESPONSIBILITY FOR MISSING PAGES. FAXED BID RESPONSES WILL NOT BE ACCEPTED.
4. THE UNIT PRICE ALWAYS GOVERNS REGARDLESS OF THE EXTENDED AMOUNT. A UNIT PRICE CHANGE ON A LINE MUST BE INITIALED BY THE PERSON SIGNING THE BID, OR THAT LINE WILL BE REJECTED. THIS INCLUDES A CROSS-OUT, STRIKE-OVER, INK-OVER, WHITE-OUT, ERASURE, OR ANY OTHER METHOD CHANGING THE PRICE.
5. A "NO BID" MUST BE RETURNED TO REMAIN ON A CLASS/SUBCLASS. RETURN PAGE 1 OR NOTIFICATION PAGE MARKED "NO-BID". IDENTIFY IT ON THE ENVELOPE AS A "NO-BID". FAILING TO RESPOND TO 3 ITB'S WITHIN THE SAME CLASS/SUBCLASS WILL AUTOMATICALLY PURGE THE VENDOR FROM THAT CLASS/SUBCLASS. RESPONDING WITH 6 "NO-BIDS" WITHIN THE SAME CLASS/SUBCLASS WILL AUTOMATICALLY PURGE THE VENDOR FROM THAT CLASS/SUBCLASS. A "NO-BID" RECEIVED LATE IS CONSIDERED A NO RESPONSE.
6. THE DIVISION OF PURCHASING IS NOT RESPONSIBLE FOR MISINTERPRETATION OF DATA FAXED FROM THIS OFFICE.
7. THE DIVISION OF PURCHASING REQUIRES AN ORIGINAL AND A MINIMUM OF ONE COMPLETE EXACT COPY (TO INCLUDE SIGNATURE AND NOTARY) OF THE INVITATION-TO-BID RESPONSE. THE ORIGINAL AND THE COPY SHOULD BE SUBMITTED TOGETHER AS A BID PACKAGE. FAILURE TO MARK RESPONSES AS "ORIGINAL" AND/OR "COPY" COULD RESULT IN THE ENTIRE BID RESPONSE BEING REJECTED.
8. AN IMPROPERLY SUBMITTED BID, LATE BID, OR BID THAT IS CANCELLED ON OR BEFORE THE OPENING DATE WILL BE HELD FOR 90 DAYS AND THEN DESTROYED. THE BID MUST BE RETRIEVED DURING REGULAR WORK HOURS, MONDAY - FRIDAY, EXCEPT STATE HOLIDAYS. AFTER THE BID IS DESTROYED, THE DIVISION OF PURCHASING ASSUMES NO RESPONSIBILITY FOR THE DOCUMENT.

DISQUALIFIED/CANCELLED BID

BIDS THAT ARE IMPROPERLY SUBMITTED OR RECEIVED LATE WILL BE A RESPONSE FOR RECORD, BUT WILL NOT BE RETURNED OR A NOTIFICATION MAILED.

THE FOLLOWING IS A PARTIAL LIST WHEREBY A BID RESPONSE WILL BE DISQUALIFIED:

BID NUMBER NOT ON FACE OF ENVELOPE/COURIER PACKAGE/BOX
RESPONSES TO MULTIPLE BID NUMBERS IN SAME ENVELOPE NOT PROPERLY IDENTIFIED
BID RECEIVED LATE
BID NOT SIGNED/NOT ORIGINAL SIGNATURE
BID NOT NOTARIZED/NOT ORIGINAL SIGNATURE OF NOTARY AND/OR NO NOTARY EXPIRATION
NOTARIZED OWN SIGNATURE
REQUIRED INFORMATION NOT SUBMITTED WITH BID
FAILURE TO SUBMIT THE ORIGINAL BID AND A COMPLETE EXACT COPY

CERTIFICATION PURSUANT TO ACT NO. 2006-557

ALABAMA LAW (SECTION 41-4-116, CODE OF ALABAMA 1975) PROVIDES THAT EVERY BID SUBMITTED AND CONTRACT EXECUTED SHALL CONTAIN A CERTIFICATION THAT THE VENDOR, CONTRACTOR, AND ALL OF ITS AFFILIATES THAT MAKE SALES FOR DELIVERY INTO ALABAMA OR LEASES FOR USE IN ALABAMA ARE REGISTERED, COLLECTING, AND REMITTING ALABAMA STATE AND LOCAL SALES, USE, AND/OR LEASE TAX ON ALL TAXABLE SALES AND LEASES INTO ALABAMA. BY SUBMITTING THIS BID, THE BIDDER IS HEARBY CERTIFYING THAT THEY ARE IN FULL COMPLIANCE WITH ACT NO. 2006-557, THEY ARE NOT BARRED FROM BIDDING OR ENTERING INTO A CONTRACT PURSUANT TO 41-4-116, AND ACKNOWLEDGES THAT THE AWARDING AUTHORITY MAY DECLARE THE CONTRACT VOID IF THE CERTIFICATION IS FALSE.

SPECIAL TERMS & CONDITIONS

VENDOR NAME :

VENDOR NUMBER: -

ITB NO. : 10-R-2219858

OPEN DATE : 07/22/10 TIME: 10:00 AM

RETURN DATE: 07/21/10 TIME: 5:00 PM

PAGE 3

INVITATION TO BID

INTENT TO AWARD

EFFECTIVE MAY 1, 2008, THE STATE OF ALABAMA - DIVISION OF PURCHASING WILL ISSUE AN 'INTENT TO AWARD' BEFORE A FINAL AWARD IS MADE. THE 'INTENT TO AWARD' WILL CONTINUE FOR A PERIOD OF FIVE (5) CALENDAR DAYS, AFTER WHICH A PURCHASE ORDER WILL BE PRODUCED. UPON FINAL AWARD, ALL RIGHTS TO PROTEST ARE FORFEITED. A DETAILED EXPLANATION OF THIS PROCESS MAY BE REVIEWED IN THE ALABAMA ADMINISTRATIVE CODE - CHAPTER 355-4-1(14).

ALTERNATE BID RESPONSE

UNLESS STATED ELSEWHERE IN THIS INVITATION-TO-BID (ITB) THE STATE OF ALABAMA WILL ACCEPT AND EVALUATE ALTERNATE BID SUBMITTALS ON ANY ITB'S. ALTERNATE BID RESPONSES WILL BE EVALUATED ACCORDING TO THE REQUIREMENTS AS ALL OTHER RESPONSES TO THIS ITB.

INTERNET WEBSITE LINK'S

INTERNET AND/OR WEBSITE LINKS WILL NOT BE ACCEPTED IN BID RESPONSES AS A MEANS TO SUPPLY ANY REQUIREMENTS STATED IN THIS ITB (INVITATION-TO-BID).

PRODUCT DELIVERY, RECEIVING AND ACCEPTANCE

IN ACCORDANCE WITH THE UNIVERSAL COMMERCE CODE (CODE OF ALABAMA, TITLE 7), AFTER DELIVERY, THE STATE OF ALABAMA HAS THE RIGHT TO INSPECT ALL PRODUCTS BEFORE ACCEPTING. THE STATE WILL INSPECT PRODUCTS IN A REASONABLE TIMEFRAME. SIGNATURE ON A DELIVERY DOCUMENT DOES NOT CONSTITUTE ACCEPTANCE BY THE STATE. THE STATE WILL ACCEPT PRODUCTS ONLY AFTER SATISFACTORY INSPECTION.

SALES TAX EXEMPTION

PURSUANT TO THE CODE OF ALABAMA, 1975, TITLE 40-23-4 (A) (11), THE STATE OF ALABAMA IS EXEMPT FROM PAYING SALES TAX. AN EXEMPTION LETTER WILL BE FURNISHED UPON REQUEST.

INVOICES

INQUIRIES CONCERNING PAYMENT AFTER INVOICES HAVE BEEN SUBMITTED ARE TO BE DIRECTED TO THE RECEIVING AGENCY, NOT THE DIVISION OF PURCHASING

BID RESPONSES AND BID RESULTS

UNEVALUATED BID RESPONSES (NOT BID RESULTS) ARE AVAILABLE ON OUR WEB SITE AT WWW.PURCHASING.ALABAMA.GOV. BID RESULTS WILL BE MADE AVAILABLE FOR REVIEW IN THE DIVISION OF PURCHASING OFFICE, BUT ONLY AFTER THE BID HAS BEEN AWARDED. WE DO NOT FAX OR MAIL COPIES OF BID RESULTS. IF A VENDOR WISHES TO REVIEW BID RESULTS IN OUR OFFICE, THEY SHOULD FAX THEIR REQUEST TO REVIEW THE BID TWO DAYS IN ADVANCE TO THE "BID REVIEW CLERK" AT (334) 242-4419. BE SURE TO REFERENCE THE BID NUMBER.

FOREIGN CORPORATION - CERTIFICATE OF AUTHORITY

ALABAMA LAW PROVIDES THAT A FOREIGN CORPORATION (AN OUT-OF-STATE COMPANY/FIRM) MAY NOT TRANSACT BUSINESS IN THE STATE OF ALABAMA UNTIL IT OBTAINS A CERTIFICATE OF AUTHORITY FROM THE SECRETARY OF STATE. SECTION 10-2B-15.01, CODE OF ALABAMA 1975. TO OBTAIN FORMS FOR A CERTIFICATE OF AUTHORITY, CONTACT THE SECRETARY OF STATE, CORPORATIONS DIVISION, (334) 242-5324. THE CERTIFICATE OF AUTHORITY DOES NOT KEEP THE VENDOR FROM SUBMITTING A BID.

BID IDENTIFICATION

REFERENCE PAGE 2, ITEM 2. DUE TO THE POSTAL SERVICE PUTTING BAR CODE LABELS ON ENVELOPES, IT CONCEALS THE BID NUMBER AND DATE IF THE VENDOR HAS WRITTEN THEM OTHER THAN THE LOWER LEFT CORNER, THEREFORE THE BID WOULD BE REJECTED FOR NOT BEING PROPERLY IDENTIFIED.

SPECIAL TERMS & CONDITIONS

VENDOR NAME :

VENDOR NUMBER:

ITB NO. : 10-R-2219858

OPEN DATE : 07/22/10 TIME: 10:00 AM

RETURN DATE: 07/21/10 TIME: 5:00 PM

PAGE 4

INVITATION TO BID

AWARD:

THE AWARD SHALL BE MADE TO THE LOWEST RESPONSIBLE BIDDER MEETING ALL SPECIFICATIONS.

DELIVERY TIME FRAME:

ALL ITEMS ORDERED MUST BE DELIVERED TO THE "SHIP TO" ADDRESS SHOWN ON THE P.O. WITHIN THIRTY (30) DAYS OF VENDOR'S RECEIPT OF ORDER.

FREIGHT:

BID IS F.O.B. DESTINATION. ANY FREIGHT CHARGES MUST BE INCLUDED IN THE BID PRICES.

DESCRIPTIVE LITERATURE:

THE BRANDS AND MODEL NUMBERS REFERENCED PROVIDE A LEVEL OF QUALITY, AND UNLESS OTHERWISE SPECIFIED, ARE NOT RESTRICTIVE. VENDORS BIDDING ALTERNATE ITEMS MUST PROVIDE COMPLETE DESCRIPTIVE/TECHNICAL LITERATURE FOR CONSIDERATION AND EVALUATION WITH THEIR BID, AND WITH THE BID COPY PER ITEM NUMBER 7 ON PAGE 2. REFERENCE TO LITERATURE WITH A PREVIOUS BID WILL NOT SATISFY THIS REQUIREMENT. FAILURE TO PROVIDE THE REQUIRED LITERATURE WITH YOUR BID AND YOUR BID COPY WILL RESULT IN THE REJECTION OF YOUR BID.

PRICE SHEET

VENDOR NAME :

VENDOR NUMBER: -

ITB NO. : 10-R-2219858

PAGE 5

OPEN DATE : 07/22/10 TIME: 10:00 AM

RETURN DATE: 07/21/10 TIME: 5:00 PM

INVITATION TO BID

LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	EXTENDED AMOUNT
UNLESS SPECIFIED OTHERWISE BELOW: SHIP TO: 012014 / 012M01 ALDOT - 3RD DIV WAREHOUSE THIRD DIVISION 1020 BANKHEAD HWY WEST BIRMINGHAM AL 35204					
00001	COMMODITY CODE: 755-25-056399 KETTLE, ASPHALT HEATING, TRAILER MOUNT, NEW LATEST MODEL, PER PROVIDED SPECIFICATIONS.	1	EA		
MFR _____ MODEL _____ MFR: CIMLINE # AM4, OR EQUAL					

PAGE TOTAL

BID TOTAL

MINIMUM SPECIFICATIONS FOR A DIESEL HEATED TRAILER MOUNTED ASPHALT MAINTAINER/POTHOLE PATCHER

1.0 General: The trailer mounted 4 ton Asphalt Maintainer/Pothole patching unit and shall be new current production model year and meet the minimum requirements contained herein.

1.1 Purpose: The patching unit will be able to safely maintain Hot Mix asphalt for use in pothole patching. The machine must be Diesel heated and capable of maintaining asphalt for a period of 48 hours. Complete operation manual and parts list must be furnished with the unit. A factory-trained person will be available for initial start up and training.

1.2 Approved Equal: The act that the manufacture chooses not to produce equipment to meet these specifications will not be considered cause to adjust these specifications or purchases of items as restrictive. To be considered an approved equal the equipment must be demonstrated to the purchasing party prior to the bid letting and be approved.

1.3 Bid Proposal: The bidder's proposal shall be submitted on the forms provided in this request for bid. Failure of the bidder to complete the attached bid form and questionnaire may be grounds for rejections of the bidder's proposal. All exceptions to the minimum specifications shall be noted on a separate piece of paper and attached to the bid form. Bid Questionnaire must be completely filled out. Bidder must also furnish with their bid full detailed literature and factory specifications of the unit being offered, but not as a substitution to the questionnaire.

1.4 Bidder Qualifications: No Bid will be considered unless the bidder can meet the following conditions:

- A. That it has in operation a fully authorized distributor for parts/service and is located within 300 miles of the equipments final destination.
- B. That the equipment being bid is current production and meets the needs of the specifications without modifications. The model must be currently advertised, have been in productions for a minimum of one year and having a working volume of not less than called for in this specifications. Hybrid, one-off or prototype equipment is unacceptable.

- C. Bidders must show proof that they maintain a large inventory of parts at their facility for the model of equipment they are bidding.

2.0 Minimum Specifications:

2.1 Frame: The unit will be trailer mounted and capable of being towed at safe highway speeds when fully loaded. The frame is to be constructed of minimum 6"x 2"x 3/16" gusseted tubular steel for safety and strength. "C" channel type frames will not be allowed. A 2-1/2" towing ring that is adjustable in height from 15" to 30" will be provided. The frame shall include minimum 12 gauge flat horizontal surface steel fenders. A swing-away adjustable screw jack must be provided.

2.2 Running Gear: To reduce maintenance, lower the trailers centers of gravity for best towing stability and provide smooth ride, the unit will be equipped with a corrosion resistant Tandem independent rubber torsion axels. The tandem axel system shall be rated at a GAWR (Gross Axel Weight Rating) if 14,000 lbs. with electric brakes, emergency breakaway switch, 16" radial tires and 8 lug heavy duty white painted rims, and two 3/8" x 4 foot long safety chains with slip hooks. The unit shall come equipped with dual stop, tail, and turn lights. A lighted license plate bracket will be attached to the fender.

2.3 Hopper: The material hopper must be constructed of no less than 1/4" (.250) steel and reinforced for sufficient structural integrity. All walls will be a single piece construction. The capacity will be 4 tons or Approximately 3 cubic yards. Outer skin will be a minimum of 14 gauge. To maintain better heat dispersion the hopper will have a minimum of (1) 4" schedule 30 tube located near the top running horizontally. As the diesel burner heats up the hopper hot air is channeled through the pipe.

2.4 Insulation: The unit will be fully insulated on the top, sides, and bottom with a minimum of 2.0" FBX industrial and ceramic insulation in such a way as to provide proper heat retention.

2.5 Loading Doors: Insulated steel loading doors located on each side of the top of the machine. The handles used to open the doors, when not in use, must be retracted for safety.

2.6 Material Delivery: The unit shall be gravity fed and include a material delivery door located on the back. The door must be insulated and have a track to guide opening and closing. To ease fatigue a gear drive with operator wheel must

be included to operate door. A safety ratcheting lock must be included to prevent accidental closing of door. Doors without any type of operating assistance are not acceptable. An unloading tray will be provided to allow easy shoveling of material.

2.7 Heating Supply: One 12 volt 105,000 BTU diesel burner will fire into an angled ceramic lined combustable chamber. Hot air only, shall surround the entire material hopper eliminating any direct flame contact to the inner walls minimizing hot spots. The Burner chamber must be bolted to machine to allow for easy access for service and inspection of hopper. The burner will have a self-contained electronic spark igniter and proof of flame protection. To minimize downtime the burner must be self-priming and be equipped with a fuel pressure gauge.

2.8 Fuel System: The unit will include a 26 gallon Diesel fuel tank with a fuel gauge located within the frame rails for safety. A suction/strainer filter system will be included. The unit must be able to operate for a minimum of 16 hours one tank of fuel.

2.9 Temperature Control: The unit will be equipped with (1) one digital electronic controller to monitor mix temperature. Control must have intervals no greater than 1 degree F and continuously monitor temperature probe. Should a failure be detected, the controller will shut down the burner and flash an error code alerting the operator to the problem. A temperature probe will be installed near the rear of the hopper. The control system will be located at the rear of the machine and include a switch to select between trailer and overnight heating, temperature controller and volt meter. The control station will include a see through cover to allow viewing without having to open control box.

2.10 Overnight Heat System: The unit must also have the capability to maintain temperature overnight. A heavy duty marine grade 120VAC to 12VDC converter will be installed and wired into control system at control box and will operate the diesel burner to maintain air temperature. A protective cover will protect the converter from the elements. No batteries or engines will be required for overnight operations.

2.10A Tool Storage: Unit shall include a minimum of two (2) solvent boxes to be used to store shovels and other tools located at the front of the machine for easy access.

2.11 Unit Power: The unit will power directly off the tow vehicle 12DC accessory from the trailer plug. No engine or battery will be required. During

overnight heating, the Power Convertor will operate the diesel burner to maintain heat.

2.12 Paint: The unit shall be primed and painted black in color. It will be equipped with required safety decals and signage.

2.13 Warranty: The manufacture shall warranty the equipment for a period of one year.

2.14 Options:

Check if Required

☐ Surge Brakes in Lieu of Electric

☒ Tool Box

☒ 10lb Fire Extinguisher

☐ Single Strobe Light on Mast

☒ 2-5/16" Ball Hitch

☒ Slow Moving Sign

☐ Work Light

☒ LED Flashing Arrow Board

☒ Dual Strobe on Mast

☒ Spare Tire/Mount

☒ Plate Compactor

☐ 3" Pintle Hitch

☐ Spare 2.5" Pintle Hitch